RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

09/462,929
1FW16
10/10/06
•

ENTERED



IFW16

RAW SEQUENCE LISTING DATE: 10/10/2006
PATENT APPLICATION: US/09/462,929 TIME: 15:08:38

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

```
3 <110> APPLICANT: Old, Lloyd J.
            Scanlan, Matthew J.
      5
             Stockert, Elisabeth
      6
             Gure, Ali
      7
             Chen, Yao-Tseng
      8
             Gout, Ivan
      9
             O'Hare, Michael
     10
             Obata, Yuichi
             Pfreundschuh, Michael
     12
             Tureci, Ozlem
     13
             Sahin, Ugur
     16 <120> TITLE OF INVENTION: CANCER-ASSOCIATED NUCLEIC ACIDS AND
     17
             POLYPEPTIDES
     19 <130> FILE REFERENCE: L0461.70078US00
     21 <140> CURRENT APPLICATION NUMBER: 09/462,929
C--> 22 <141> CURRENT FILING DATE: 2000-06-07
     24 <150> PRIOR APPLICATION NUMBER: PCT/US98/14679
     25 <151> PRIOR FILING DATE: 1998-07-15
     27 <150> PRIOR APPLICATION NUMBER: US 08/896,164
     28 <151> PRIOR FILING DATE: 1997-07-17
     30 <150> PRIOR APPLICATION NUMBER: US 09/948,705
     31 <151> PRIOR FILING DATE: 1997-10-10
     33 <150> PRIOR APPLICATION NUMBER: US 09/102,322
     34 <151> PRIOR FILING DATE: 1998-06-22
     36 <150> PRIOR APPLICATION NUMBER: US 60/061,599
     37 <151> PRIOR FILING DATE: 1997-10-10
     39 <150> PRIOR APPLICATION NUMBER: US 60/061,765
     40 <151> PRIOR FILING DATE: 1997-10-10
     42 <150> PRIOR APPLICATION NUMBER: UK 9721697.2
     43 <151> PRIOR FILING DATE: 1997-10-11
     45 <160> NUMBER OF SEQ ID NOS: 822
     47 <170> SOFTWARE: PatentIn version 3.2
     49 <210> SEO ID NO: 1
     50 <211> LENGTH: 474
     51 <212> TYPE: DNA
     52 <213> ORGANISM: Homo sapiens
     55 <220> FEATURE:
     56 <221> NAME/KEY: misc feature
     57 <222> LOCATION: (26)..(26)
     58 <223> OTHER INFORMATION: n is a, c, g, or t
     60 <220> FEATURE:
     61 <221> NAME/KEY: misc_feature
     62 <222> LOCATION: (68)..(68)
```

RAW SEQUENCE LISTING DATE: 10/10/2006
PATENT APPLICATION: US/09/462,929 TIME: 15:08:38

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

63 <223> OTHER INFORMATION: n is a, c, g, or t 65 <220> FEATURE: 66 <221> NAME/KEY: misc_feature 67 <222> LOCATION: (119)..(119) 68 <223 > OTHER INFORMATION: n is a, c, g, or t 70 <220> FEATURE: 71 <221> NAME/KEY: misc feature 72 <222> LOCATION: (138)..(138) 73 <223> OTHER INFORMATION: n is a, c, g, or t 75 <220> FEATURE: 76 <221> NAME/KEY: misc_feature 77 <222> LOCATION: (195)..(195) 78 <223> OTHER INFORMATION: n is a, c, g, or t 80 <220> FEATURE: 81 <221> NAME/KEY: misc feature 82 <222> LOCATION: (217)..(217) 83 <223> OTHER INFORMATION: n is a, c, g, or t 85 <220> FEATURE: 86 <221> NAME/KEY: misc feature 87 <222> LOCATION: (265)..(265) 88 <223> OTHER INFORMATION: n is a, c, g, or t 90 <220> FEATURE: 91 <221> NAME/KEY: misc_feature 92 <222> LOCATION: (274)..(274) 93 <223> OTHER INFORMATION: n is a, c, g, or t 95 <220> FEATURE: 96 <221> NAME/KEY: misc feature 97 <222> LOCATION: (351)..(351) 98 <223> OTHER INFORMATION: n is a, c, g/ or t 100 <220> FEATURE: 101 <221> NAME/KEY: misc feature 102 <222> LOCATION: (356)..(356) 103 <223> OTHER INFORMATION: n is a, c, g, or t 105 <220> FEATURE: 106 <221> NAME/KEY: misc feature 107 <222> LOCATION: (358)..(358) 108 <223> OTHER INFORMATION: n is a, c, g, or t 110 <220> FEATURE: 111 <221> NAME/KEY: misc feature 112 <222> LOCATION: (375)..(375) 113 <223> OTHER INFORMATION: n is a, c, g, or t 115 <220> FEATURE: 116 <221> NAME/KEY: misc feature 117 <222> LOCATION: (382)..(382) 118 <223> OTHER INFORMATION: n is a, c, g, or t 120 <220> FEATURE: 121 <221> NAME/KEY: misc_feature 122 <222> LOCATION: (403)..(403)

123 <223> OTHER INFORMATION: n is a, c, g, or t

RAW SEQUENCE LISTING DATE: 10/10/2006
PATENT APPLICATION: US/09/462,929 TIME: 15:08:38

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

125 <220> FEATURE: 126 <221> NAME/KEY: misc_feature 127 <222> LOCATION: (413)..(413) 128 <223> OTHER INFORMATION: n is a, c, g, or t 130 <220> FEATURE: 131 <221> NAME/KEY: misc feature 132 <222> LOCATION: (417)..(417) 133 <223> OTHER INFORMATION: n is a, c, g, or t 135 <220> FEATURE: 136 <221> NAME/KEY: misc feature 137 <222> LOCATION: (423)..(423) 138 <223> OTHER INFORMATION: n is a, c, g, or t 140 <220> FEATURE: \ 141 <221> NAME/KEY: misc feature 142 <222> LOCATION: (426)..(427) 143 <223> OTHER INFORMATION: n is a, c, g, or t 145 <220> FEATURE: 146 <221> NAME/KEY: misc_feature 147 <222> LOCATION: (433)..(433) 148 <223> OTHER INFORMATION: n is a, c, g, or t 150 <220> FEATURE: 151 <221> NAME/KEY: misc feature 152 <222> LOCATION: (435)..(436) 153 <223> OTHER INFORMATION: n is a, c, g, or t 155 <220> FEATURE: 156 <221> NAME/KEY: misc_feature 157 <222> LOCATION: (438)..(438) 158 <223> OTHER INFORMATION: n is a, c, g, or t 160 <220> FEATURE: 161 <221> NAME/KEY: misc feature 162 <222> LOCATION: (442)..(442) 163 <223 > OTHER INFORMATION: n is a, c, q, or t 165 <220> FEATURE: 166 <221> NAME/KEY: misc feature 167 <222> LOCATION: (445)..(445) 168 <223> OTHER INFORMATION: n is a, c, q, or t 170 <220> FEATURE: 171 <221> NAME/KEY: misc feature 172 <222> LOCATION: (450)..(450) 173 <223> OTHER INFORMATION: n is a, c, g, or t 175 <220> FEATURE: 176 <221> NAME/KEY: misc feature 177 <222> LOCATION: (453)..(453) 178 <223> OTHER INFORMATION: n is a, c, g, or t 180 <220> FEATURE: 181 <221> NAME/KEY: misc_feature 182 <222> LOCATION: (457)..(458) 183 <223> OTHER INFORMATION: n is a, c, g, or t 185 <220> FEATURE:

DATE: 10/10/2006

TIME: 15:08:38

Input Set : N:\AMC\462929.txt Output Set: N:\CRF4\10102006\I462929.raw 186 <221> NAME/KEY: misc feature 187 <222> LOCATION: (460)..(460) 188 <223> OTHER INFORMATION: n is a, c, g, or t 190 <220> FEATURE: 191 <221> NAME/KEY: misc_feature 192 <222> LOCATION: (463)..(463) 193 <223> OTHER INFORMATION: n is a, c, g, or t 195 <220> FEATURE: 196 <221> NAME/KEY: misc feature 197 <222> LOCATION: (467)..(467) 198 <223> OTHER INFORMATION: n is a, c, g, or t 200 <220> FEATURE: 201 <221> NAME/KEY: misc feature 202 <222> LOCATION: (470)..(471) 203 <223> OTHER INFORMATION: n is a, c, g, or t 205 <400> SEQUENCE: 1 W--> 206 tetagaetgt cetecceate tgtggnacta acaetateat acagtettgt cetatagggt 208 ctctggantc tgttcttcac acagagctgg gctcgagttt tcagtgcttt tgaatccang 210 cgctctgtct ctgggacngc ttcattcaag tcttgactta cgccatcttg gcaagatgtc 180 212 tgcttgccat ccaanttctc catggtatcc cctttanaga cttcaccaag agatgttctt 240 214 ctctcaaaga tgttgttatt attgntaact tgantcccat tttgcttcag taagcctgaa 300 216 tacctcagct tccaaatctc taatccgcac ttggaggcct tgcacttcca naagangngc 218 tttttcaaat cttcnagttt cnttcttctg ctcctgtctt tgnatagatc aanctcnttt 420 220 tqntqnnagt ccntnntnaa cntcnttgcn tgntggnngn tcntttncan nggc 474 223 <210> SEQ ID NO: 2 224 <211> LENGTH: 1054 225 <212> TYPE: DNA 226 <213> ORGANISM: Homo sapiens 229 <220> FEATURE: 230 <221> NAME/KEY: misc feature 231 <222> LOCATION: (27)..(27) 232 <223> OTHER INFORMATION: n is a, c, q, or t 234 <220> FEATURE: 235 <221> NAME/KEY: misc feature 236 <222> LOCATION: (29)..(30) 237 <223> OTHER INFORMATION: n is a, c, g, or t 239 <220> FEATURE: 240 <221> NAME/KEY: misc_feature 241 <222> LOCATION: (46)..(46) 242 <223> OTHER INFORMATION: n is a, c, g, or t 244 <220> FEATURE: 245 <221> NAME/KEY: misc_feature 246 <222> LOCATION: (58)..(58) 247 <223> OTHER INFORMATION: n is a, c, g, or t 249 <220> FEATURE: 250 <221> NAME/KEY: misc_feature 251 <222> LOCATION: (85)..(86) 252 <223> OTHER INFORMATION: n is a, c, g, or t 254 <220> FEATURE:

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/462,929

RAW SEQUENCE LISTING DATE: 10/10/2006 PATENT APPLICATION: US/09/462,929 TIME: 15:08:38

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

```
255 <221> NAME/KEY: misc_feature
256 <222> LOCATION: (89)..(89)
257 <223> OTHER INFORMATION: n is a, c, g, or t
259 <220> FEATURE:
260 <221> NAME/KEY: misc_feature
261 <222> LOCATION: (101)..(101)
262 <223> OTHER INFORMATION: n is a, c, g, or t
264 <220> FEATURE:
265 <221> NAME/KEY: misc feature
266 <222> LOCATION: (103)..(103)
267 <223> OTHER INFORMATION: n is a, c, g, or t
269 <220> FEATURE:
270 <221> NAME/KEY: misc feature
271 <222> LOCATION: (107)..(107)
272 <223> OTHER INFORMATION: n is a, c, g, or t
274 <220> FEATURE:
275 <221> NAME/KEY: misc_feature
276 <222> LOCATION: (110)..(110)
277 <223> OTHER INFORMATION: n is a, c, g, or t
279 <220> FEATURE:
280 <221> NAME/KEY: misc_feature
281 <222> LOCATION: (128)..(128)
282 <223> OTHER INFORMATION: n is a, c, g, or t
284 <220> FEATURE:
285 <221> NAME/KEY: misc_feature
286 <222> LOCATION: (155)..(155)
287 <223> OTHER INFORMATION: n is a, c, g, or t
289 <220> FEATURE:
290 <221> NAME/KEY: misc feature
291 <222> LOCATION: (157) .. (157)
292 <223> OTHER INFORMATION: n is a, c, g, or t
294 <220> FEATURE:
295 <221> NAME/KEY: misc feature
296 <222> LOCATION: (166)..(166)
297 <223> OTHER INFORMATION: n is a, c, g, or t
299 <220> FEATURE:
300 <221> NAME/KEY: misc feature
301 <222> LOCATION: (170)..(170)
302 <223> OTHER INFORMATION: n is a, c, g, or t
304 <220> FEATURE:
305 <221> NAME/KEY: misc feature
306 <222> LOCATION: (200)..(200)
307 <223> OTHER INFORMATION: n is a, c, g, or t
309 <220> FEATURE:
310 <221> NAME/KEY: misc_feature
311 <222> LOCATION: (204)..(204)
312 <223> OTHER INFORMATION: n is a, c, g, or t
314 <220> FEATURE:
315 <221> NAME/KEY: misc_feature
```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 10/10/2006
PATENT APPLICATION: US/09/462,929 TIME: 15:08:39

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:1; N Pos. 26,68,119,138,195,217,265,274,351,356,358,375,382,403,413
Seq#:1; N Pos. 417, 423, 426, 427, 433, 435, 436, 438, 442, 445, 450, 453, 457, 458, 460
Seq#:1; N Pos. 463,467,470/471/
Seq#:2; N Pos. 27,29,30,46,58,85,86,89,101,103,101,110,128,155,157,166,170
Seq#:2; N Pos. 200,204,208,225,227,234,236,238,244,255,258,268,271,276,278
Seq#:2; N Pos. 292,300,307,309,317,323,330,331,335,343,350,356,363,366,375
Seq#:2; N Pos. 377,378,413,425,430,431,437,439,444,449,462,463,466,469,482
Seq#:2; N Pos. 499,500,506,508,509,510,513,523,529,531,532,535,541,549,570
Seq#:2; N Pos. 576,596,600,607,614,615,616,619,622,624,630,636,638,641,643
Seq#:2; N Pos. 644,654,655,659,663,670,676,693,694,698,700,702,703,708,721
Seq#:2; N Pos. 722,724,727,729,731,741,748,751,752,753,754,756,758,760,764
Seq#:2; N Pos. 767,768,774,780,782,788,789,799,806,808,817,818,820,821,826
Seq#:2; N Pos. 827,839,841,848,849,860,862,863,864,870,871,874,882,886,888
Seq#:2; N Pos. 896,898,900,902,929,930,952,959,964,966,968,973,980,981,985
Seq#:2; N Pos. 1017,1025,1027,1033,1035,1039,1041,1047,1052
Seq#:3; N Pos. 263,302,330,331,355,370,394,405,419,430,435
Seq#:4; N Pos. 108,112,138,169,177,206,225
Seq#:5; N Pos. 383,402,412
Seg#:6; N Pos. 730
Seq#:8; N Pos. 535,589,594,630,631,710
Seq#:9; N Pos. 126,128,570
Seq#:10; N Pos. 56,66,94,124,136,140,143,145,253,257,263,292,295,352,376
Seq#:10; N Pos. 384,391,422,424,450,461,463,474,477,478,486,495,501,521,528
Seq#:10; N Pos. 544,547,549,560,579,587,593,598,599,607,647,648,650,659
Seq#:11; N Pos. 39,109,143,207,233,268,270,295,299,304,310,328,350,362,370
Seq#:11; N Pos. 372,398,425,451,484,505,509,512,520,550,559,595,598,604,633
Seq#:11; N Pos. 682,684,686,732,735,739,746,749,760,768,794,795,804,806,815
Seq#:11; N Pos. 818,830,832,838,839,846,849,888,891,892,916,918,935,937,945
Seq#:11; N Pos. 960,969,973,975,976,977,983,996,997,1000,1007,1011,1012
Seq#:11; N Pos. 1019,1022,1023,1027,1030,1047,1049,1053,1061,1066,1067,1070
Seq#:11; N Pos. 1091,1094,1095,1096,1097,1101,1102,1104,1106,1109,1110,1111
Seq#:11; N Pos. 1114,1115,1116,1117,1121,1131,1135,1136,1139,1144,1158,1159
Seq#:12; N Pos. 307,546,549,577,587,597,600,616,645,673,674,684,686,687,693
Seq#:12; N Pos. 694,695,706,718,720,721,722,729,730,741,745,747,759,761,763
Seq#:12; N Pos. 770,771,774,790,793,795,797,799,823,829,833,836,839,841,844
Seq#:12; N Pos. 845
Seq#:13; N Pos. 11,33,292,366,369
Seq#:14; N Pos. 11,222,420,511,536,556,561,647,651,656,657,679,683,684,686
Seq#:14; N Pos. 688,692,701,714,717,720,725,726,741,747,758,767,800,805,809
Seq#:14; N Pos. 810,818,823,827,844,846,855,863,870,872,878,881,884,887,888
Seq#:14; N Pos. 890,895,897,899,920,926,932,936,938,939,941,944,948,955,968
Seq#:14; N Pos. 973,978,986,994,996,1007,1015,1017,1021,1025,1032,1036,1038
Seq#:14; N Pos. 1039,1040,1047,1048,1049,1050,1054,1057,1059,1061,1064,1078
Seq#:14; N Pos. 1079,1087,1088,1089,1090,1091,1092,1093,1094,1105,1107,1110
```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 10/10/2006
PATENT APPLICATION: US/09/462,929 TIME: 15:08:39

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

Seq#:14; N Pos. 1121,1123,1125,1132,1133,1135,1139,1141,1145,1148,1149,1152
Seq#:14; N Pos. 1153,1156,1158,1159,1160,1162,1164
Seq#:15; N Pos. 34,312,451,530,542,566,570,627,628,629,632,638,646,650,653
Seq#:15; N Pos. 654,657,662,665,670,674,678,681,685,687,688,689,692,694,696
Seq#:15; N Pos. 700,704,711,715,716,717,718,719,723,732,741,745,748,749,753
Seq#:15; N Pos. 756,757,763,778,784,786,788,806,807,813,815,816,817,818,819
Seq#:15; N Pos. 822,823,827,828,841,842,844,846,849,850,851,852,854,855,856

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete, per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:817

VERIFICATION SUMMARY DATE: 10/10/2006 PATENT APPLICATION: US/09/462,929 TIME: 15:08:39

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

```
L:22 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:206 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
M:341 Repeated in SeqNo=1
L:955 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
M:341 Repeated in SeqNo=2
L:1057 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:240
M:341 Repeated in SeqNo=3
L:1110 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:60
M:341 Repeated in SeqNo=4
L:1153 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:360
L:1196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:720
L:1274 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:480
M:341 Repeated in SeqNo=8
L:1311 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:120
M:341 Repeated in SeqNo=9
L:1540 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
M:341 Repeated in SeqNo=10
L:2017 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
M:341 Repeated in SeqNo=11
L:2260 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:300
M:341 Repeated in SeqNo=12
L:2313 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
M:341 Repeated in SeqNo=13
L:2795 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
M:341 Repeated in SeqNo=14
L:3383 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
M:341 Repeated in SeqNo=15
L:3773 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:60
M:341 Repeated in SeqNo=16
L:4009 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:60
M:341 Repeated in SeqNo=17
L:4399 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:540
M:341 Repeated in SeqNo=18
L:4594 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
M:341 Repeated in SeqNo=19
L:4701 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:180
M:341 Repeated in SeqNo=20
L:4752 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:180
M:341 Repeated in SeqNo=21
L:4895 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:120
M:341 Repeated in SeqNo=22
L:4971 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:180
M:341 Repeated in SeqNo=23
L:5028 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
M:341 Repeated in SeqNo=24
L:5094 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:120
M:341 Repeated in SeqNo=25
L:5223 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
```

VERIFICATION SUMMARY

DATE: 10/10/2006

PATENT APPLICATION: US/09/462,929

TIME: 15:08:39

Input Set : N:\AMC\462929.txt

Output Set: N:\CRF4\10102006\I462929.raw

M:341 Repeated in SeqNo=26

 $L:5269 \ M:341 \ W: (46)$ "n" or "Xaa" used, for SEQ ID#:27 after pos.:420

M:341 Repeated in SeqNo=27

L:65988 M:283 W: Missing Blank Line separator, <400> field identifier